

esybox MAX

LINE UP TO THE FUTURE

ELECTRONIC BOOSTER SETS

.....



DAB[®]
WATER • TECHNOLOGY




CARING FOR THE FUTURE




IT'S NOT ONLY TO TALK ABOUT PERFORMANCES , IT'S NOT ONLY TO TALK ABOUT TECHNICAL FEATURES AND IT'S NOT TO TALK ABOUT WHY WE ARE BETTER THAN OUR COMPETITORS.

IT IS VITAL TO START FROM PEOPLE, FROM THE USERS AND IF WE GIVE THEM SOMETHING THAT CAN SIMPLIFY OR IMPROVE THEIR LIFE, THEN PEOPLE WILL BE HAPPY TO FOLLOW US.




CONDOMINIUM
Example: 10 floors
20 apartments



HOSPITAL
Example: 4 floors - 100 beds

HOTEL
Example: 6 floors
80 rooms



The building type/Esybox Max number combinations proposed here are simply examples. Product configurations can be modulated in different ways according to the specifications of each project.

Not just a pump

even if it is a great pump, esybox max is primarily a new concept in booster sets industry



esybox max

The Product Journey

“Once you identify the right audience and their problems, your products comes next”

Paolo Montanari
Group Marketing and sales Director



THE VISION

“When we started to think about esybox MAX we asked ourselves how to manage the evolution of the esybox range.

And It was clear from the very beginning, it could not be just something bigger.

We felt we had to bring forward the path of evolution completely changing the rules of the game for booster sets in residential & commercial buildings.

That’s why esybox max is at first the outcome of listening and communicating with many different people who will be in contact with the product”



ENGINEER

“Choosing a product with the right performance for my projects often takes too much time . I need a solution with maximum energy efficiency and with reduced dimensions compared to traditional ones. ”



WHOLESALER

“I need to improve the efficiency of my warehouse in order to always guarantee product availability to my customers”



INSTALLER

“I need easy-to-install products that can save my time, and often the technical rooms are narrow and with a difficult access! ”



MAINTAINER

“There is a lot of talk about IOT, how can I offer a better service to my customers and introduce a new model for my business using the internet of pumps?”



END USER

“The costs on the bill are always higher, I need reliable solutions for my system that help me to reduce my energy consumption ”



ENVIRONMENT


“It is crucial to understand that taking care of you also means taking care of me. Actually I don't need too much words, concrete facts are enough ”



ENGINEER

Easy Selection

Understanding a range has never been easier, now you only need to select from 2 hydraulics which depends on the height of the building, up to 20 floors. Then you can create your booster set, with up to four pumps, depending on the number of users.



Efficiency at the state of the art


the Dab inverter combined with a brand new permanent magnet motor and with redesigned impellers makes possible a further step ahead in terms of energy performances

BEFORE

AFTER

20%

Energy Saving



Modular Integration

Esybox max is the most compact and integrated booster set on the market compared with any traditional solution.

D+CONNECT

Affordable web based remote control for your projects

Based on state-of-the-art technology, DConnect offers many advantages than typical BMS systems. Performance Data storage and Remote monitoring support you to control and be sure, from anywhere, that the running parameters of the pumps follow exactly your project specification avoiding any possible trouble.



What about logistic

With esybox max you will improve the efficiency in your warehouse.

From having 1 booster occupying a space now you can fit 3 in the same place so time 3 more efficient.

This also means you can store the full range on one pallet, and your customers will appreciate because they no longer have to wait for their product.

That' efficiency!




WHOLESALER



Traditional booster sets with 2 pumps



Esybox Max





Easy to move & install

to simplify your life we extend the On Site Assembly concept. So in case the location has difficult access you can decide to assemble your booster set on-site, which only requires moving smaller and lighter boxes.



INSTALLER

As quick as a “click”

In the end you have just to install your esydock, “plug” your pumps and set up your booster set wich is so easy with the new D-connect app



D+CONNECT

Affordable web based remote control for your installation

You can use your smartphone to interface with the pump, which automatically detects the language, time and unit of measurement of the installation site to save time during the first set up of the system.

DConnect makes monitoring DAB products easy and intuitive. All adjustments are also possible remotely. For total control with no surprises.



Easy to maintain

Why waste your time stuck in a traffic jam?
Wouldn't it be easier to communicate with your pumps?
May be from anywhere.
Now you can.
From your PC or smartphone it doesn't matter.
You just need to check the stored data and change any setting with just one click.

MAINTAINER



DCONNECT

A new boost for your business

Thanks to internet of pumps technology , you will be able to monitor and control your installations receiving alarms and notifications on possible malfunctions and keeping the main operating data under control, such as energy and water consumption.


you will have a reduction of costs associated with on-site visits and the duration of interventions , guaranteeing at the same time greater reliability of the systems.

With DConnect you can offer to your customer a more effective and economical service, such as the new Silver and Gold packages, which allow basic and advanced assistance linked to the set up, monitoring and remote control of the systems, the reception in real time of specific and settable alarms and the receipt of periodic reports on the operation of the systems.



Here comes the COMFORT


Energy saving, thanks to the integrated inverter that optimises performance; comfort, thanks to the Dconnect app that allows you to manage the pressure required at a given moment to enjoy, for example, a nice hot shower in total relax



LESS COSTS ON YOUR BILL!

VISIT OUR WEB SITE
TO CALCULATE YOUR SAVING

END USER



ENVIRONMENT



Design for the environment

“SUSTAINABILITY , for DAB,
is not just technology,
it is much more...”



Esybox Max
is state of the
art for energy
efficiency



Is constructed
with extensive
use of recycled
material



A more efficient
logistic results
in lower CO₂
emissions for
transportation

Nacked integration

With esybox max the concept of integration reach a new standard. Each new component is combined to deliver a better product experience.

- 1 DISPLAY
- 2 INVERTER
- 3 MODULE WIFI/BLUETOOTH
- 4 PRESSURE SENSOR (delivery side)
- 5 PRESSURE SENSOR (suction side)
- 6 NON-RETURN VALVE
- 7 2 LT. EXPANSION TANK
- 8 IMPELLERS
- 9 HYDRAULICS CONNECTIONS
- 10 FAST CONNECTION TOOL
- 11 WATER COOLED PERMANENT MAGNET MOTOR
- 12 HANDLES



The assembling technology

ERGONOMICS

Every single operator movement has been analysed and studied to create a production line that is as safe as it is efficient.



QUALITY

All assembly operations are performed with equipment monitored by a centralized control system and the operator has all the necessary instructions immediately available on the display. After each pre-assembly phase, the various components undergo control tests (quality gates) to ensure that they work perfectly. No component proceeds to the next assembly phase if it does not pass each test.




TRACEABILITY

The entire assembly process is optimized. All technical and historical data of the production process and the product are recorded in a unique database and can be traced at any time. The data control and traceability system is designed to take full advantage of the potential of our Manufacturing Execution System (MES).



For DAB, the research and application of new technologies means finding the best possible solution to users' needs, while fully respecting the environment.

Technological innovation is never an end in itself but functional to perfecting the quality of work and maximising product reliability.



Thechnical Data

FLOW RATE:	Up to 17,4 m ³ /h (For single unit)
HEAD:	113 m
LIQUID TEMPERATURE:	+50°C
MAXIMUM AMBIENT TEMPERATURE:	+55°C
MAXIMUM INLET PRESSURE:	5 bar
OPERATION PRESSURE:	12 bar / 1200 kPa
CONSTANT PRESSURE RANGE:	1-12 bar (3 bar by default)
MOTOR PROTECTION CLASS:	IP X5
MOTOR INSULATION CLASS:	F
IMPELLER MATERIAL:	Technopolymer
SINGLE PHASE POWER INPUT:	208-240V 50/60Hz
THREE PHASE POWER INPUT:	380-480V 50/60Hz
TYPE OF INSTALLATION:	Fixed in vertical position
TYPE OF PUMPED LIQUID:	Clean, free from solid or abrasive substances, non-viscous, non-aggressive, non-crystallized and chemically neutral
CERTIFICATION:	WRAS, ACS, NSF61 (are pending approval)

Accessories

ESY I/O

It is the electronic expansion module that allows to interface Esybox Max with the external input/output devices(eg: flotswitch, pressure switch, remote alarm) and with the BMS world (Building Management System).



ESYBOX MAX	2 ESYBOX MAX	3 ESYBOX MAX	4 ESYBOX MAX
•	•	•	•

CONTROL PANEL

Electrical connection panels for 2 or 3 pumps complete with magnetothermic switches for powering multi-pump units. It can be installed on the wall or directly to Esybox Max units using the dedicated pillar.







DESCRIPTION	ESYBOX MAX	2 ESYBOX MAX	3 ESYBOX MAX	4 ESYBOX MAX
CONTROL PANEL E2G5.2	-	• Single phase	-	• 2 x Single phase
CONTROL PANEL E2G7	-	• three-phase	-	• 2 x three-phase
CONTROL PANEL E3G10.5	-	-	• three-phase	-

MOUNTING PILLAR

Pillar for mounting the electrical panel directly on the dock of the multy pumps system.

ESYBOX MAX	2 ESYBOX MAX	3 ESYBOX MAX	4 ESYBOX MAX
-	•	•	2X



**DAB PUMPS LTD.**

6 Gilberd Court
Newcomen Way
Severalls Business Park
Colchester
Essex
C04 9WN - UK
salesuk@dwtgroup.com
Tel. +44 0333 777 5010

**DAB PUMPS BV**

'tHofveld 6 C1
1702 Groot Bijgaarden - Belgium
info.belgium@dwtgroup.com
Tel. +32 2 4668353

**DAB PUMPS B.V.**

Albert Einsteinweg, 4
5151 DL Drunen - Nederland
info.netherlands@dwtgroup.com
Tel. +31 416 387280
Fax +31 416 387299

**DAB PUMPS GMBH**

Am Nordpark 3
D - 41069 Mönchengladbach - Germany
info.germany@dwtgroup.com
Tel. +49 2161 47388-0
Fax +49 2161 47388-36

**DAB PUMPS IBERICA S.L.**

Calle Verano 18-20-22
28850 - Torrejón de Ardoz - Madrid
Spain
Info.spain@dwtgroup.com
Tel. +34 91 6569545
Fax: + 34 91 6569676

**DAB PUMPS HUNGARY KFT.**

H-8800
Nagykanizsa, Buda Ernő u.5
Hungary
Tel. +36 93501700

**DAB PUMPS POLAND Sp. z o.o.**

Ul. Janka Muzykanta 60
02-188 Warszawa - Poland
polska@dabpumps.com.pl

**OOO DAB PUMPS**

Novgorodskaya str. 1, block G
office 308, 127247, Moscow - Russia
info.russia@dwtgroup.com
Tel. +7 495 122 0035
Fax +7 495 122 0036

**DAB PUMPS INC.**

3226 Benchmark Drive
Ladson, SC 29456 - USA
info.usa@dwtgroup.com
Tel. 1 - 843-797-5002
Fax 1-843-797-3366

**DAB PUMPS SOUTH AFRICA (PTY) LTD**

Twenty One industrial Estate,
16 Purlin Street, Unit B, Warehouse 4
Olifantsfontein -1666 - South Africa
info.sa@dwtgroup.com
Tel. +27 12 361 3997

**DAB PUMPS (QINGDAO) CO. LTD.**

No.40 Kaituo Road, Qingdao Economic & Technological
Development Zone
Qingdao City, Shandong Province - China
PC: 266500
sales.cn@dwtgroup.com
Tel. +86 400 186 8280
Fax +86 53286812210

**DAB PUMPS DE MÉXICO, S.A. DE C.V.**

Av Amsterdam 101 Local 4
Col. Hipódromo Condesa,
Del. Cuauhtémoc CP 06170
Ciudad de México
Tel. +52 55 6719 0493

**DAB PUMPS OCEANIA PTY LTD**

426 South Gippsland Hwy,
Dandenong South VIC 3175 - Australia
info.oceania@dwtgroup.com
Tel. +61 1300 373 677

**PT DAB PUMPS INDONESIA**

Satrio Tower lantai 26
unit C-D, Jl. Prof. Dr. Satrio Kav. C4,
Kel. Kuningan Timur, Kec. Setiabudi, Kota Adm.
Jakarta Selatan, Prov. DKI Jakarta. - Indonesia
Tel. +62 2129222850